


ROUND OVERHAUL BALLS



Model nr.	WLL (Mtons)	Becket	Dimensions (mm)						Weight (kg)
			B	O	øTA	TL	T	øZ	
OHB-B 4,5.45-1	4,5	1	198	35	230	590	22	27	45
OHB-B 4,5.50-1	4,5	1	198	43	230	666	22	27	50
OHB-B 4,5.100-2	4,5	2	289	35	312	650	28	33	100
OHB-B 4,5.110-2	4,5	2	289	43	312	697	28	33	110
OHB-B 4,5.140-2	4,5	2	319	35	344	680	28	33	140
OHB-B 4,5.145-2	4,5	2	319	43	344	735	28	33	145
OHB-B 7.50-1	7,3	1	198	43	230	666	22	27	50
OHB-B 7.50-2	7,3	2	198	43	230	666	28	33	50
OHB-B 7.80-2	7,3	2	254	43	280	666	28	33	80
OHB-B 7.110-2	7,3	2	289	43	312	697	28	33	110
OHB-B 7.145-3	7,3	3	319	43	344	735	35	37	145
OHB-B 11.180-3	11	3	333	53	370	839	35	37	180
OHB-B 11.265-4	11	4	391	53	425	911	40	43	265
OHB-B 11.320-4	11	4	417	53	450	937	40	43	320
OHB-B 11.320-5	11	5	417	53	450	947	45	52	320
OHB-B 11.530-4	11	4	508	53	535	1027	40	43	530
OHB-B 14.270-4	14	4	391	58	425	942	40	43	270
OHB-B 14.270-5	14	5	391	58	425	952	45	52	270
OHB-B 14.325-5	14	5	417	58	450	978	45	52	325
OHB-B 14.387-5	14	5	450	58	480	988	45	52	387
OHB-B 18.195-5	18	5	333	78	370	973	45	52	195
OHB-B 18.330-5	18	5	417	78	450	1067	45	52	330
OHB-B 18.330-6	18	6	417	78	450	1067	50	59	330
OHB-B 18.392-6	18	6	450	78	480	1082	50	59	392
OHB-B 18.545-6	18	6	508	78	535	1157	50	59	545

Minimum Ultimate Strength = 4 x WLL

- The dimensions in this table are indicative only. A drawing will always be submitted prior to production and will be the leading document when discussing dimensions.
- Overhaul Balls shown here are standard models; inquiries for custom versions are welcome.



SEE OUR WARNING & SAFETY INFORMATION